

Washington State Department of Health Tobacco Prevention and Control Program





Strategic Plan for Identifying and Eliminating Tobacco-Related Health Disparities in Washington State

Overview





March 2004



Addressing Tobacco-Related Health Disparities

Research shows that tobacco use among some population groups is significantly higher than for the general population. At the same time, these groups often have less access to healthcare and other resources. This results in a disproportionate occurrence of tobaccorelated death and disease.

Creating Parity

A key to reducing tobacco-related health disparities is to create greater equality or parity in the following areas:

- Access to culturally and linguistically appropriate resources, programs, services, and materials.
- Participation in planning and decisionmaking processes.
- Use of community experience in planning.
- Sustained funding for programs, staff, and research.
- Partnerships between government agencies and community organizations.

Tobacco-related health disparities are influenced by many factors, including the socio-economic status, geographic location, race and ethnicity, gender, sexual orientation, or disability of a population. The history, cultural beliefs, and country of origin of many racial and ethnic communities, as well as lack of access to healthcare, also can affect tobacco-use rates. In addition, tobacco companies use political, marketing, and charitable-giving strategies to create long-term loyalty and demand for their products in these populations.

Reducing tobacco use in high-risk groups is one of the four central goals of the *Tobacco Prevention and Control Plan for Washington State* (1999). Achieving the goal requires the Washington Tobacco Prevention and Control Program to identify and eliminate tobacco-related health disparities. In 2001, the program received a \$100,000 grant from the federal Centers for Disease Control and Prevention to develop short- and long-term strategies to reach this important goal.

Tobacco-Related Health Disparities:

Differences in disease and death rates between high-risk communities and the general population. These differences result from increased use of tobacco and limited access to healthcare and other services.



Tobacco is Not an Equal-Opportunity Killer

Tobacco use is the leading cause of preventable death in Washington state and across the country. It is estimated that tobacco-related diseases kill 8,300 people in our state every year – more deaths than AIDS, alcohol, drug abuse, car crashes, murders, suicides, and fires combined. However, tobacco is not an equal-opportunity killer.

Tobacco use among certain socio-economic, racial, and cultural minority groups is significantly higher than for the general population.

Often, these groups have less access to healthcare and other resources to prevent and treat

tobacco-related disease, and are specifically targeted by tobacco industry marketing. It is a deadly combination.

The Washington State Department of Health is committed to improving the health of highrisk populations by providing information about the dangers of tobacco use and support to help tobacco users quit. We're committed to working with those most affected to make sure our efforts are sensitive to their unique needs. We must give everyone in our state an equal opportunity to resist tobacco industry marketing campaigns and stay healthy.

The Strategic Plan for Identifying and Eliminating Tobacco-Related Health Disparities in Washington State outlines our strategy for addressing this serious health issue, how we are approaching our work, and where we're heading with our efforts. By working hand-in-hand, we will – together – make our state a healthier place to live, work, and play.

Mary C. Selecky Secretary of Health

Comprehensive Framework

The Strategic Plan for Identifying and Eliminating Tobacco-Related Health Disparities in Washington State is a comprehensive framework to guide statewide efforts to improve the health of high-risk populations. The plan identifies strategies needed to prevent and reduce tobacco use and secondhand smoke exposure among these groups.

The plan describes both system- and community-driven approaches for eliminating tobacco-related health disparities. System-driven approaches are planned, implemented, and evaluated by agencies and organizations to reach a wide variety of audiences. Community-driven strategies are developed and implemented by specific populations to meet the unique historical, cultural, and other needs of their members.

Strategies to Eliminate Disparities

Increase community awareness.

high-risk populations understand the c with tobacco use and secondhand smo

- Supporting community efforts to and community-based campaign
- Training communities to develop public awareness strategies and m
- Educating and engaging communelimination of tobacco-related here.

Crafting the Plan

The Tobacco Prevention and Control Program convened the Cross Cultural Wo to identify innovative ways of eliminating tobacco use and exposure in high-risk included organizations from diverse populations, existing Tobacco Program health disparities.

Members from six communities – African American, American Indian/Alaska Na minority, and rural – conducted community assessments to better understand ongoin and systems that might support future efforts. Assessments also identified potential b and cessation efforts in each community.

The assessments were used to identify six critical issues that needed to be related health disparities:

- Lack of sustained funding.
- Lack of outreach and access to programs and services.
- Low priority of the tobacco issue in high-risk communities.
- Institutional racism.
- Lack of focused resources.
- Tobacco companies' targeting of high-risk communities.

The Cross Cultural Workgroup developed three- to five-year goals to address the s the structure for the *Strategic Plan for Identifying and Eliminating Tobacco-Related*

Sustain commitment. The Tobacco Program will sustain its long-term commitment and enhance its capacity to eliminate tobacco-related health disparities by:

- Developing and integrating strategies reflected in the disparities plan within Tobacco Program activities.
- Improving the cultural sensitivity of data collection and evaluation systems, and program personnel.
- Sustaining open communication and collaboration with culturally diverse and high-risk populations.



Increase community involvement, outreach, and access. The Tobacco Program will develop the knowledge, skills, and systems to mobilize communities and increase access to tobacco prevention and cessation services by:

- Providing funding and training to organizations within and/or serving diverse communities to help them address tobacco use in ways that are effective with individual populations.
- Providing training and support to statewide systems and programs reaching out to high-risk populations.

The Tobacco Program will help langers and risks associated ke exposure by:

raise awareness through media

and implement effective nessages to reduce tobacco use. nity leaders to make the calth disparities a priority issue.

orkgroup on Tobacco in May 2001 k populations. The workgroup

n contractors, and others working to address

tive, Asian American/Pacific Islander, Latino, sexual g tobacco prevention efforts, and community structures arriers that might interfere with tobacco prevention

addressed to eliminate tobacco-

Improve cultural sensitivity. The Tobacco Program will improve the cultural appropriateness of its efforts by:

- Identifying, supporting, and implementing culturally appropriate tobacco prevention and cessation strategies.
- Establishing more culturally sensitive policies and procedures.
- Training staff and contractors to be sensitive to cultural differences when planning activities and working with diverse communities.

Provide materials and services. The Tobacco Program will address the lack of tobacco prevention and cessation materials and services available in various languages and reflecting cultural differences by:

- Working with and funding communities to develop appropriate materials, programs, and services.
- Training community members serving high-risk populations to deliver programs and services.

ix critical issues. These goals established
Health Disparities in Washington State.

Reduce tobacco company influence. The Tobacco Program will help high-risk populations resist tobacco industry marketing efforts by:

- Educating community members and leaders about tobacco industry tactics.
- Assessing where and how tobacco companies are targeting high-risk communities.
- Teaching media literacy to community members.



Moving Forward

Role of the Workgroup

With the completion of the *Strategic Plan for Identifying and Eliminating Tobacco-Related Health Disparities in Washington State*, the state Tobacco Program will establish a tobacco disparities advisory structure to

guide implementation of the plan. This structure will help the program sustain ongoing communication with culturally diverse communities, program contractors, and experts working to eliminate health disparities.

Cross Cultural Workgroup on Tobacco

American Lung Association

Center for Multicultural Health

Commission on African American Affairs

Confederated Tribes of the Colville Reservation

Korean Women's Association

My Service Mind

BREATHE Alliance

Northwest Communities Education Center / KDNA Radio

Northwest Parish Nurse Ministries

Northwest Portland Area Indian Health Board

Seattle Indian Health Board

Snohomish Health District

Tacoma Pierce County Health Department



Verbena

Washington Association of Community and Migrant Health Centers

Washington Asian Pacific Islander Families Against Substance Abuse

Maximizing Resources

To prevent duplication and maximize the impact of available resources, the Tobacco Program will encourage partnerships between its county- and school-based contractors, and the five new disparities contractors. Collaboration between all of the program's contractors will help ensure that resources are used effectively to address tobaccorelated disparities.

Assessment

The Tobacco Program has begun gathering data on high-risk populations in more culturally appropriate and inclusive ways. This data will complement or expand on information previously collected by the program. These improvements in data collection will help better describe the burden of tobacco use and the knowledge, attitudes, and behaviors related to tobacco use within these population groups.

Evaluation

The Tobacco Program will evaluate the implementation of the *Strategic Plan for Identifying and Eliminating Tobacco-Related Health Disparities in Washington State* to ensure activities achieve desired outcomes. Evaluation will involve stakeholders to ensure that results are shared and put to work for continuous quality improvement of this effort.



For More Information

Washington State Department of Health Tobacco Prevention and Control Program PO Box 47848 • Olympia WA 98504-7848 360-236-3730 www.doh.wa.gov/tobacco

This document is available upon request in alternative formats. Please call 1-800-525-0127 (for the hearing impaired, call 1-800-833-6388).

PUBLIC HEALTH
ALWAYS WORKING FOR A SAFER AND
HEALTHIER WASHINGTON